



PLEASANT VALLEY SCHOOL DISTRICT

HOME OF THE COWBOYS

DISTRICT #364 - Owyhee County - Idaho

2020-2021 Leveled School Operations Plan

Level/ Category 1: "Normal with Precautions"/ No Community Transmission Traditional Model: School Building Open

Conditions: Minimal Spread

--Evidence of isolated cases, no evidence of exposure in large communal settings.

Safety Measures:

- Increased cleaning and disinfecting of facilities.
- Masks provided for students and staff.
- Social distancing, as possible. Masks required when social distancing not possible.
- Following [CDC's Considerations for Schools](#) (see attached).
- Informational/ reminder posters throughout the building.

Health Screening:

- Parents are encouraged to check their children for [symptoms of COVID-19](#) (see attached) before sending them to school.
- Employees and students will be screened upon arriving to school using a no contact thermometer and screening questions.

Delivery of Instruction:

- On site, in person every school day.

Student Attendance:

- On site, in person.

Employee Duties:

- On site, in person every school day.
- Adjusted duties for employees (with physician verification of being in and at-risk category).

Visitors to School:

- Limited number of visitors to schools at one time.
- Mask may be required for visitors.

Extracurricular Activities:

- As scheduled using [Protocols for Youth Activities](#) (see attached) from Idaho Rebounds Plan and the [CDC's Considerations for Youth Sports](#) (see attached).
- Limited number of spectators at competitions with masks encouraged.

Building Use by Outside Groups:

- Limited use, with superintendent's approval.

Level/ Category 2: “Normal with Increased Precautions”/ Minimal to Moderate Community Transmission

**Traditional Learning Model: School Building Open with options for:
Hybrid/ Blended: Limited/ Staggered Use of School Building or
Full Distance/ Remote Learning: Minimal Use of School Building—Limited
In-person instruction by family**

Conditions: Moderate Spread

--Evidence of transmission with high likelihood or confirmed exposure within communal settings.

Safety Measures:

- Increased cleaning and disinfecting of facilities.
- Masks provided for students and staff.
- Social distancing, as possible. Masks required when social distancing not possible.
- Following [CDC's Considerations for Schools](#) (see attached).
- Informational/ reminder posters throughout the building.

Health Screening:

- Parents are encouraged to check their children for [symptoms of COVID-19](#) (see attached) before sending them to school.
- Employees and students will be screened upon arriving to school using a no contact thermometer and screening questions.

Delivery of Instruction:

- On site, in person every school day with readiness for Hybrid/ Blended or Distance Learning.

Student Attendance:

- On site, in person.
- Parent-excused with arrangements to receive assignments (considered school excused).

Employee Duties:

- On site, in person every school day.
- Adjusted duties for employees (with physician verification of being in and at-risk category).
- Instructional staff provide remote support to students as needed.

Visitors to School:

- Limited number of visitors to schools at one time.
- Mask may be required for visitors.

Extracurricular Activities:

- As scheduled using [protocols for youth activities](#) (see attached) from Idaho Rebounds Plan and the [CDC's Considerations for Youth Sports](#) (see attached).
- Limited number of spectators at competitions with masks encouraged.
- No concessions at athletic events.

Building Use by Outside Groups:

- No outside organizations use of building.

Level/ Category 3: "Soft Closure/ Distance Learning"/ Substantial Community Transmission

Traditional Learning Model: School Building Open with options for
Hybrid/ Blended: Limited/ Staggered Use of School Building or
Full Distance/ Remote Learning: Minimal Use of School Building—Limited In-person instruction by family

Conditions: Substantial Spread

--Evidence of large-scale community transmission with multiple cases within communal settings

Safety Measures:

--Deep cleaning of school while no students and instructional staff are in the building.
--Following [CDC's Considerations for Schools](#) (see attached).

Health Screening:

--Parents are encouraged to check their children for [symptoms of COVID-19](#) (see attached).

Delivery of Instruction:

--On site, in person every school day with readiness for Hybrid/ Blended or Distance Learning.
--Distance Learning with online and paper packets provided for students to complete at home based on connectivity.

Student Attendance:

--On site, in person.
--Attendance based on student completion of 4 hours' worth of schoolwork per school day.

Employee Duties:

--Employees work from home, as possible.
--Limited number of employees working on site, as needed.

Visitors to School:

--No visitors or students at school.

Extracurricular Activities:

--All extra-curricular practices, meetings, and competitions cancelled.

Building Use by Outside Groups:

--No outside organizations use of building.

*Pleasant Valley School District #364 is a small, remote school district in southwestern Idaho with one school: Pleasant Valley School. Decisions regarding the level at which the school will be operating will be made in consultation with Southwest District Health, along with guidance from the Idaho Back to School Framework 2020. (It should be noted that because of our remote, rural location our status may not reflect that of the rest of Owyhee County in which we are located.)



Considerations for Schools Operating Schools

Operating Schools During COVID-19

Updated May 19, 2020

[Print](#)

As some communities in the United States open K-12 schools, CDC offers the following considerations for ways in which schools can help protect students, teachers, administrators, and staff and slow the spread of COVID-19. Schools can determine, in collaboration with [state and local health officials](#) to the extent possible, *whether and how to implement these considerations while adjusting to meet the unique needs and circumstances of the local community.* Implementation should be guided by what is feasible, practical, acceptable, and tailored to the needs of each community. School-based health facilities may refer to CDC's [Guidance for U.S. Healthcare Facilities](#) and may find it helpful to reference the [Ten Ways Healthcare Systems Can Operate Effectively During the COVID-19 Pandemic](#). These considerations are meant to supplement—not **replace**—any state, local, territorial, or tribal health and safety laws, rules, and regulations with which schools must comply.

[Preparing for a Safe Return to School](#): The latest science on transmission risk, and the costs and benefits of opening schools

Guiding Principles to Keep in Mind

The more people a student or staff member interacts with, and the longer that interaction, the higher the risk of COVID-19 spread. The risk of COVID-19 spread increases in school settings as follows:

- **Lowest Risk:** Students and teachers engage in virtual-only classes, activities, and events.
- **More Risk:** Small, in-person classes, activities, and events. Groups of students stay together and with the same teacher throughout/across school days and groups do not mix. Students remain at least 6 feet apart and do not share objects (e.g., hybrid virtual and in-person class structures, or staggered/rotated scheduling to accommodate smaller class sizes).
- **Highest Risk:** Full sized, in-person classes, activities, and events. Students are not spaced apart, share classroom materials or supplies, and mix between classes and activities.

COVID-19 is mostly spread by respiratory droplets released when people talk, cough, or sneeze. It is thought that the virus may spread to hands from a contaminated surface and then to the nose or mouth, causing infection. Therefore, personal prevention practices (such as [handwashing](#), [staying home when sick](#)) and environmental [cleaning and disinfection](#) are important principles that are covered in this document. Fortunately, there are a number of actions school administrators can take to help lower the risk of COVID-19 exposure and spread during school sessions and activities.

After reviewing the considerations listed on this page, school administrators can use [CDC's K-12 Schools Readiness and Planning Tool](#) ■ [\[9 pages\]](#) to protect students, staff and communities.

Promoting Behaviors that Reduce Spread

Schools may consider implementing several strategies to encourage behaviors that reduce the spread of COVID-19.

- **Staying Home when Appropriate**
- Educate staff and families about when they/their child(ren) should [stay home](#) and when they can return to school.
 - Actively encourage employees and students who are sick or who have recently had [close contact](#) with a person with COVID-19 to stay home. Develop policies that encourage sick employees and students to stay at home without fear of reprisal, and ensure employees, students, and students' families are aware of these policies. Consider not having perfect attendance awards, not assessing schools based on absenteeism, and offering virtual learning and telework options, if feasible.
 - [Staff and students should stay home](#) if they have tested positive for or are showing COVID-19 [symptoms](#).
 - Staff and students who have recently had [close contact](#) with a person with COVID-19 should also [stay home and monitor their health](#).
- CDC's criteria can help inform when employees should return to work:
 - [If they have been sick with COVID-19](#)
 - [If they have recently had close contact with a person with COVID-19](#)

- **Hand Hygiene and Respiratory Etiquette**
 - Teach and reinforce [handwashing](#) with soap and water for at least 20 seconds and Increase monitoring to ensure adherence among students and staff.
 - If soap and water are not readily available, hand sanitizer that contains at least 60% alcohol can be used (for staff and older children who can safely use hand sanitizer).
 - Encourage staff and students to cover coughs and sneezes with a tissue. Used tissues should be thrown in the trash and hands washed immediately with soap and water for at least 20 seconds.
 - If soap and water are not readily available, hand sanitizer that contains at least 60% alcohol can be used (for staff and older children who can safely use hand sanitizer).
- **Cloth Face Coverings**
 - Teach and reinforce use of [cloth face coverings](#). Face coverings may be challenging for students (especially younger students) to wear in all-day settings such as school. Face coverings should be worn by staff and students (particularly older students) as feasible, and are **most** essential in times when physical distancing is difficult. Individuals should be frequently reminded not to touch the face covering and to [wash their hands](#) frequently. Information should be provided to staff, students, and students' families on [proper use, removal, and washing of cloth face coverings](#).
 - Note: [Cloth face coverings](#) should **not** be placed on:
 - Children younger than 2 years old
 - Anyone who has trouble breathing or is unconscious
 - Anyone who is incapacitated or otherwise unable to remove the cloth face covering without assistance
 - [Cloth face coverings](#) are meant to protect other people in case the wearer is unknowingly infected but does not have symptoms. [Cloth face coverings](#) are not surgical masks, respirators, or other medical personal protective equipment.
- **Adequate Supplies**
 - Support [healthy hygiene](#) behaviors by providing adequate supplies, including soap, hand sanitizer with at least 60 percent alcohol (for staff and older children who can safely use hand sanitizer), paper towels, tissues, disinfectant wipes, cloth face coverings (as feasible) and no-touch/foot-pedal trash cans.
- **Signs and Messages**
 - Post [signs](#) in highly visible locations (e.g., school entrances, restrooms) that [promote everyday protective measures](#) and describe how to [stop the spread](#) of germs (such as by [properly washing hands](#) and [properly wearing a cloth face covering](#)).
 - Broadcast regular [announcements](#) on reducing the spread of COVID-19 on PA systems.
 - Include messages (for example, [videos](#)) about behaviors that prevent the spread of COVID-19 when communicating with staff and families (such as on school websites, in emails, and on school [social media accounts](#)).
 - Find free CDC print and digital resources on CDC's [communications resources main page](#).

Maintaining Healthy Environments

Schools may consider implementing several strategies to maintain healthy environments.

- **Cleaning and Disinfection**
 - [Clean and disinfect](#) frequently touched surfaces (e.g., playground equipment, door handles, sink handles, drinking fountains) within the school and on school buses at least daily or between use as much as possible. Use of shared objects (e.g., gym or physical education equipment, art supplies, toys, games) should be limited when possible, or cleaned between use.
 - If transport vehicles (e.g., buses) are used by the school, drivers should practice all safety actions and protocols as indicated for other staff (e.g., hand hygiene, cloth face coverings). To clean and disinfect school buses or other transport vehicles, see guidance for [bus transit operators](#).
 - Develop a schedule for increased, routine cleaning and disinfection.
 - Ensure [safe and correct use](#) and storage of [cleaning and disinfection products](#) , including storing products securely away from children. Use products that meet [EPA disinfection criteria](#) .
 - Cleaning products should not be used near children, and staff should ensure that there is adequate ventilation when using these products to prevent children or themselves from inhaling toxic fumes.
- **Shared Objects**
 - Discourage sharing of items that are difficult to clean or disinfect.
 - Keep each child's belongings separated from others' and in individually labeled containers, cubbies, or areas.
 - Ensure adequate supplies to minimize sharing of high touch materials to the extent possible (e.g., assigning each student their own art supplies, equipment) or limit use of supplies and equipment by one group of children at a time and clean and disinfect between use.
 - Avoid sharing electronic devices, toys, books, and other games or learning aids.
- **Ventilation**
 - Ensure ventilation systems operate properly and increase circulation of outdoor air as much as possible, for example by opening windows and doors. Do not open windows and doors if doing so poses a safety or health risk (e.g., risk of falling, triggering asthma symptoms) to children using the facility.
- **Water Systems**
 - To minimize the risk of [Legionnaire's disease](#) and other diseases associated with water, [take steps](#) to ensure that all water systems and features (e.g., sink faucets, drinking fountains, decorative fountains) are safe to use after a prolonged facility shutdown. Drinking fountains should be cleaned and sanitized, but encourage staff and students to bring their own water to minimize use and touching of water fountains.
- **Modified Layouts**
 - Space seating/desks at least 6 feet apart when feasible.
 - Turn desks to face in the same direction (rather than facing each other), or have students sit on only one side of tables, spaced apart.
 - Create distance between children on school buses (e.g., seat children one child per row, skip rows) when possible.

- **Physical Barriers and Guides**
 - Install physical barriers, such as sneeze guards and partitions, particularly in areas where it is difficult for individuals to remain at least 6 feet apart (e.g., reception desks).
 - Provide physical guides, such as tape on floors or sidewalks and signs on walls, to ensure that staff and children remain at least 6 feet apart in lines and at other times (e.g., guides for creating "one way routes" in hallways).
- **Communal Spaces**
 - Close communal use shared spaces such as dining halls and playgrounds with shared playground equipment if possible; otherwise, stagger use and clean and disinfect between use.
 - Add physical barriers, such as plastic flexible screens, between bathroom sinks especially when they cannot be at least 6 feet apart.
- **Food Service**
 - Have children bring their own meals as feasible, or serve individually plated meals in classrooms instead of in a communal dining hall or cafeteria, while ensuring the safety of children with food allergies. ■
 - Use disposable food service items (e.g., utensils, dishes). If disposable items are not feasible or desirable, ensure that all non-disposable food service items are handled with gloves and washed with dish soap and hot water or in a dishwasher. Individuals should wash their hands after removing their gloves or after directly handling used food service items.
 - If food is offered at any event, have pre-packaged boxes or bags for each attendee instead of a buffet or family-style meal. Avoid sharing food and utensils and ensure the safety of children with food allergies. ■

Maintaining Healthy Operations

Schools may consider implementing several strategies to maintain healthy operations.

- **Protections for Staff and Children at Higher Risk for Severe Illness from COVID-19**
 - Offer options for staff at higher risk for severe illness that limit their exposure risk (e.g., telework, modified job responsibilities).
 - Offer options for students at higher risk of severe illness that limit their exposure risk (e.g., virtual learning opportunities).
 - Consistent with applicable law, put in place policies to protect the privacy of people at higher risk for severe illness regarding underlying medical conditions.
- **Regulatory Awareness**
 - Be aware of local or state regulatory agency policies related to group gatherings to determine if events can be held.
- **Gatherings, Visitors, and Field Trips**
 - Pursue virtual group events, gatherings, or meetings, if possible, and promote social distancing of at least 6 feet between people if events are held. Limit group size to the extent possible.
 - Limit any nonessential visitors, volunteers, and activities involving external groups or organizations as possible – especially with individuals who are not from the local geographic area (e.g., community, town, city, county).
 - Pursue virtual activities and events in lieu of field trips, student assemblies, special performances, school-wide parent meetings, and spirit nights, as possible.
 - Pursue options to convene sporting events and participation in sports activities in ways that minimizes the risk of transmission of COVID-19 to players, families, coaches, and communities.
- **Identifying Small Groups and Keeping Them Together (Cohorting)**
 - Ensure that student and staff groupings are as static as possible by having the same group of children stay with the same staff (all day for young children, and as much as possible for older children).
 - Limit mixing between groups if possible.
- **Staggered Scheduling**
 - Stagger arrival and drop-off times or locations by cohort or put in place other protocols to limit contact between cohorts and direct contact with parents as much as possible.
 - When possible, use flexible worksites (e.g., telework) and flexible work hours (e.g., staggered shifts) to help establish policies and practices for social distancing (maintaining distance of approximately 6 feet) between employees and others, especially if social distancing is recommended by state and local health authorities.
- **Designated COVID-19 Point of Contact**
 - Designate a staff person to be responsible for responding to COVID-19 concerns (e.g., school nurse). All school staff and families should know who this person is and how to contact them.
- **Participation in Community Response Efforts**
 - Consider participating with local authorities in broader COVID-19 community response efforts (e.g., sitting on community response committees).
- **Communication Systems**
 - Put systems in place for:
 - Consistent with applicable law and privacy policies, having staff and families self-report to the school if they or their student have symptoms of COVID-19, a positive test for COVID-19, or were exposed to someone with COVID-19 within the last 14 days in accordance with health information sharing regulations for COVID-19 [\[1\]](#) (e.g., see "Notify Health Officials and Close Contacts" in the **Preparing for When Someone Gets Sick** section below) and other applicable federal and state laws and regulations relating to privacy and confidentiality, such as the Family Educational Rights and Privacy Act (FERPA).
 - Notifying staff, families, and the public of school closures and any restrictions in place to limit COVID-19 exposure (e.g., limited hours of operation).
- **Leave (Time Off) Policies and Excused Absence Policies**

- Implement flexible sick leave policies and practices that enable staff to stay home when they are sick, have been exposed, or caring for someone who is sick.
 - Examine and revise policies for leave, telework, and employee compensation.
 - Leave policies should be flexible and not punish people for taking time off, and should allow sick employees to stay home and away from co-workers. Leave policies should also account for employees who need to stay home with their children if there are school or childcare closures, or to care for sick family members.
- Develop policies for return-to-school after COVID-19 illness. CDC's [criteria to discontinue home isolation and quarantine](#) can inform these policies.
- **Back-Up Staffing Plan**
 - Monitor absenteeism of students and employees, cross-train staff, and create a roster of trained back-up staff.
- **Staff Training**
 - Train staff on all safety protocols.
 - Conduct training virtually or ensure that [social distancing](#) is maintained during training.
- **Recognize Signs and Symptoms**
 - If feasible, conduct daily health checks (e.g., temperature screening and/or [symptom checking](#)) of staff and students.
 - Health checks should be conducted safely and respectfully, and in accordance with any applicable privacy laws and regulations. School administrators may use examples of screening methods in CDC's supplemental [Guidance for Child Care Programs that Remain Open](#) as a guide for screening children and CDC's [General Business FAQs](#) for screening staff.
- **Sharing Facilities**
 - Encourage any organizations that share or use the school facilities to also follow these considerations.
- **Support Coping and Resilience**
 - Encourage employees and students to take breaks from watching, reading, or listening to news stories about COVID-19, including social media if they are feeling overwhelmed or distressed.
 - Promote employees and students eating healthy, exercising, getting sleep, and finding time to unwind.
 - Encourage employees and students to talk with people they trust about their concerns and how they are feeling.
 - Consider posting signages for the national distress hotline: 1-800-985-5990, or text TalkWithUsto 66746

Preparing for When Someone Gets Sick

Schools may consider implementing several strategies to prepare for when someone gets sick.

- **Advise Staff and Families of Sick Students of Home Isolation Criteria**
 - Sick staff members or students should not return until they have met CDC's [criteria to discontinue home isolation](#).
- **Isolate and Transport Those Who are Sick**
 - Make sure that staff and families know that they (staff) or their children (families) should not come to school, and that they should notify school officials (e.g., the designated COVID-19 point of contact) if they (staff) or their child (families) become sick with COVID-19 [symptoms](#), test positive for COVID-19, or have been [exposed](#) to someone with COVID-19 symptoms or a confirmed or suspected case.
 - Immediately separate staff and [children](#) with COVID-19 [symptoms](#) (such as fever, cough, or shortness of breath) at school. Individuals who are sick should go home or to a healthcare facility depending on how severe their symptoms are, and follow [CDC guidance for caring for oneself and others who are sick](#).
 - Work with school administrators, nurses, and other healthcare providers to identify an isolation room or area to separate anyone who has COVID-19 symptoms or tests positive but does not have symptoms. School nurses and other healthcare providers should use [Standard and Transmission-Based Precautions](#) when caring for sick people. See: [What Healthcare Personnel Should Know About Caring for Patients with Confirmed or Possible COVID-19 Infection](#).
 - Establish procedures for safely transporting anyone who is sick to their home or to a healthcare facility. If you are calling an ambulance or bringing someone to the hospital, try to call first to alert them that the person may have COVID-19.
- **Clean and Disinfect**
 - Close off areas used by a sick person and do not use these areas until after [cleaning and disinfecting](#)
 - Wait at least 24 hours before cleaning and disinfecting. If 24 hours is not feasible, wait as long as possible. Ensure [safe and correct use](#) and storage of [cleaning and disinfection products](#) [↗](#), including storing products securely away from children.
- **Notify Health Officials and Close Contacts**
 - In accordance with state and local laws and regulations, school administrators should notify [local health officials](#), staff, and families immediately of any case of COVID-19 while maintaining confidentiality in accordance with the [Americans with Disabilities Act \(ADA\)](#) [↗](#).
 - Inform those who have had [close contact](#) with a person diagnosed with COVID-19 to stay home and [self-monitor for symptoms](#), and follow [CDC guidance](#) if symptoms develop.

After reviewing the considerations listed on this page, school administrators can use [CDC's K-12 Schools Readiness and Planning Tool](#) [↗](#) [9 pages] to protect students, staff and communities.

Other Resources

[Cleaning and Disinfection](#)

[COVID-19 Prevention](#)

[Handwashing Information](#)

[Face Coverings](#)

[Social Distancing](#)

[COVID-19 Frequently Asked Questions](#)

[People at Higher Risk](#)

[Guidance for Schools and Childcare Centers](#)

[Managing Stress and Coping](#)

[HIPAA and COVID-19 !\[\]\(f95dab70c751fda7d824b8b03650f7aa_img.jpg\)](#)

[CDC Communication Resources](#)

[Community Mitigation](#)

[OSHA Guidance on Preparing Workplaces for COVID-19 !\[\]\(4688aadfd656ded00cd6bdfae55089a9_img.jpg\) !\[\]\(3f972bf2e2155492661f419a89867457_img.jpg\)](#)

Last Updated May 19, 2020

Youth activities considering resuming on May 1 should have an operational plan in place to mitigate the risk of spreading COVID-19. Youth activities may include youth day camps that also provide childcare for working parents; and youth sports, music, religious, scouting, and other organized youth activities. Guidance for operating childcare facilities should also be reviewed by day camp operators for additional information.

Youth activities do not include large events like tournaments, competitions or performance, especially those that involve overnight camps or overnight trips. Participation in the program and travel should be limited to within youths' own community and in keeping with CDC and Idaho's guidance on limiting non-essential travel. Out-of-state travel for organized youth activities is not allowed.

Operational plans do not need to be submitted for review or approval. However, youth organizations are encouraged to make plans available to staff, parents and youth they serve. Requirements for safe participation in the activities should also be posted on the organization's website and at the facility. Plans should include the following elements based on guidance from the State of Idaho and as recommended by CDC.

YOUTH ORGANIZATIONS SHOULD USE THE FOLLOWING PROTOCOLS AS THEY PREPARE TO OFFER ACTIVITIES ON MAY 1.

Establish protocols to maintain the six (6) foot physical distance among participants, where possible, and between youth, adult leaders and coaches, and parents or other spectators.

- Consider how to limit the number of participants to allow physical distancing and prevent crowding
- Limit carpooling to practices, camps, etc. Only members of the same family should be in a vehicle together
- Consider how activities may be conducted outside, if possible, and ensure optimal ventilation for inside activities
- Limit spectators as needed to ensure physical distancing
- Limit, where possible, physical contact among participants
- Prevent youth from sharing cups, water bottles or other items
- Keep the youth activities local

Establish protocols to reduce the risk of spread of COVID-19 among adult leaders, youth, and their families

- Organizations should acknowledge and support decisions to not participate among youth, parents, and adult leaders who are uncomfortable participating for any reason
- Have parents / guardians pick up their youth outside. If the youth need supervision while waiting for pickup, adults should be at least six (6) feet apart
- Consider use of cloth facial covering or masks for adult leaders and youth where possible
- Instruct youth and adult leaders to avoid physical contact with one another, e.g. hugs, high-fives, etc.
- Ensure adult leaders, youth and their families are aware that they may not enter the facility or recreational area if either they or a household member has had onset of illness with symptoms compatible with suspected or lab-confirmed COVID-19 in the prior 14 days
 - o Symptoms of COVID-19 can include fever (>100.4) or feverishness, cough, shortness of breath or difficulty breathing, chills or shaking chills, muscle pain, headache, sore throat, and new loss of taste or smell.

CONTINUES ON NEXT PAGE

YOUTH ORGANIZATIONS SHOULD USE THE FOLLOWING PROTOCOLS AS THEY PREPARE TO OFFER ACTIVITIES ON MAY 1.

Establish protocols to reduce the risk of spread of COVID-19 among adult leaders, youth, and their families

- Screen adult leaders and youth each day prior to the activity for any symptoms of COVID-19 and exclude if ill.
 - Ideally, greet the youth outside the facility or recreational area at arrival and administer screening questions about illnesses in youth or their household members
 - Check the youth's and other participant's temperatures, if possible
 - Adult leaders should self-monitor and stay at home if they have any COVID-19-like illness symptoms

Establish plans to provide adequate hand hygiene and sanitation

- Identify how the organization will provide for disinfection of meeting spaces and regular cleaning of high-touch surfaces
- Have youth and adults wash hands or use hand sanitizer before allowing participation, directly after participation, and frequently during the youth activity, including before food preparation and eating, and after touching shared surfaces or items (e.g. shared sports equipment)
- Avoid sharing equipment where possible
- Frequently disinfect items touched by more than one person, e.g. basketballs, Frisbees, other equipment, between groups of youths and at the end of the day

Identify strategies for working with public health to notify adult leaders, youth and their families if the organization learns a participant or adult leader has developed COVID-19 and may have been infectious to others while at a youth activity

- Maintain confidentiality of the COVID-19 infected person
- Develop plans for temporary closure of indoor facilities and cancel outdoor activities or camps to properly disinfect and ensure other adult leaders or youth are not infected
- Consult the local health district for guidance for specific situations

Resources:

- CDC recreational guidance: (<https://www.cdc.gov/coronavirus/2019-ncov/community/parks-rec/index.html>)
- EPA list of COVID-19 effective disinfectants: (<https://www.epa.gov/pesticide-registration/list-n-disinfectants-use-against-sars-cov-2>)
- Caring for Our Children(CFOC) standards for cleaning, sanitizing and disinfecting educational facilities for children: <https://nrckids.org/CFOC/Database/3.3v>

Stop the Spread of Germs

Help prevent the spread of respiratory diseases like COVID-19.



Stay at least 6 feet
(about 2 arms' length)
from other people.



Cover your cough or sneeze with a
tissue, then throw the tissue in the
trash and wash your hands.



When in public, wear a
cloth face covering over
your nose and mouth.



Do not touch your
eyes, nose, and mouth.



Clean and disinfect
frequently touched
objects and surfaces.



Stay home when you are sick,
except to get medical care.



Wash your hands often with soap
and water for at least 20 seconds.



cdc.gov/coronavirus

Symptoms of Coronavirus (COVID-19)

Know the symptoms of COVID-19, which can include the following:



Symptoms can range from mild to severe illness, and appear 2-14 days after you are exposed to the virus that causes COVID-19.

Seek medical care immediately if someone has emergency warning signs of COVID-19.

- Trouble breathing
- Persistent pain or pressure in the chest
- New confusion
- Inability to wake or stay awake
- Bluish lips or face

This list is not all possible symptoms. Please call your healthcare provider for any other symptoms that are severe or concerning to you.



[cdc.gov/coronavirus](https://www.cdc.gov/coronavirus)